

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-------------------------|-----------------------|----------------------|------------------------|------------------|
| 10/661,311 | 09/12/2003 | Yasushi Yoda | 4641-65672 | 7825 |
| 7590 10/07/2004 | | EXAMINER | | |
| KLARQUIST SPARKMAN, LLP | | | KRAMER, DEVON C | |
| One World Trac | de Center, Suite 1600 | | | |
| 121 S.W. Salmon Street | | | ART UNIT | PAPER NUMBER |
| Portland, OR 97204-2988 | | | 3683 | |
| | | | DATE MAILED: 10/07/200 | 4 |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | | Ĭ. | | | |
|-------------|--|---|---|--------------|--|--|--|
| | • | Application No. | Applicant(s) | | | | |
| | | 10/661,311 | YODA ET AL. | 000 | | | |
| h į, | Office Action Summary | Examiner | Art Unit | | | | |
| | | Devon C Kramer | 3683 | | | | |
| Pei | The MAILING DATE of this communication appriod for Reply | pears on the cover sheet with | the correspondence add | ress | | | |
| | A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | Ga(a). In no event, however, may a reply y within the statutory minimum of thirty (3 will apply and will expire SIX (6) MONTH: , cause the application to become ABAN | y be timely filed 10) days will be considered timely. S from the mailing date of this cor DONED (35 U.S.C. & 133). | nmunication. | | | |
| Sta | itus | | | | | | |
| | 1)⊠ Responsive to communication(s) filed on 19 A | uaust 2004 | | | | | |
| : | | action is non-final. | | | | | |
| | 3) Since this application is in condition for allowar closed in accordance with the practice under E | nce except for formal matters | • | merits is | | | |
| Dis | position of Claims | | | | | | |
| | 4) | <u>43-46,49 and 50</u> is/are withous | Irawn from consideration | n. | | | |
| ٩pı | plication Papers | | | | | | |
| | 9) The specification is objected to by the Examine | r. | | | | | |
| • | 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. | | | | | | |
| | Applicant may not request that any objection to the | • | • • | | | | |
| | Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex | | | | | | |
| | ority under 35 U.S.C. § 119 | | | | | | |
| | a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list of | s have been received. s have been received in App rity documents have been red u (PCT Rule 17.2(a)). | lication No ceived in this National S | itage | | | |
| _ | chment(s) Notice of References Cited (PTO-892) | 4) 🔲 Interview Sum | mary (PTO-413) | | | | |
|) [)) [| Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date | Paper No(s)/M | maily (P10-413) ail Date mal Patent Application (PTO- | 152) | | | |

Application/Control Number: 10/661,311 Page 2

Art Unit: 3683

DETAILED ACTION

Election/Restrictions

1) Claims 9-12, 14, 27-35, 38-39, 43-46, and 49-50 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 8/19/04.

2) Applicant's election with traverse of species 1 in the reply filed on 8/19/04 is acknowledged. The traversal is on the ground(s) that the species overlap in features. This is not found persuasive because the seven species presented in the application are patentably distinct from each other. Applicant's listing of the claims that read on species one has left out claims which the examiner thought read on species 1. The listing of applicable claims provided by applicant has been used to examine the application.

The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

3) The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4) Claims 1, 4-7, 15-19, 24-25 and 36 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakamura et al (JP 01032055).

In re claims 1 and 36, Nakamura et al provides a shock absorber unit for arresting motion of a moving mass in a vacuum environment (abstract), comprising: a shock absorber having a proximal end and having a distal end capable of extending toward the mass moving with a momentum directed toward the shock absorber; and isolation means (11) for isolating the shock from the environment.

In re claim 4, Nakamura et al provides a distal end of the shock which moves with the mass and the isolation means moves with the distal end and mass.

In re claim 5-7, see element 11.

In re claim 15, Nakamura et al teaches a shock absorber with a liquid and a sheath (11) forming a seal to prevent liquid from entering a vacuum environment.

(Abstract)

In re claim 16, since the shock of Nakamura operates in a vacuum chamber and uses an oil, it is considered by the examiner to be vacuum oil.

In re claim 17, see elements 5, 8, and 9 of Nakamura.

Art Unit: 3683

In re claim 18, 25, Nakamura provides a bellows (11) having one end attached to a housing and the other end attached to a piston rod.

IN re claim 19, see figure 1.

In re claim 24, every shock absorber has both ends fixed as claimed.

5) Claims 1-7, 15-17, 24-25, 36, 37, 40-42 and 47-48 are rejected under 35 U.S.C. 102(b) as being anticipated by (2002/0075469).

In re claims 1, 36, 37, 40, 41 and 47, Tanaka provides a shock absorber (figure 5) unit for arresting motion of a moving mass in a vacuum environment (col. 25 lines 7-12), comprising: a shock absorber having a proximal end and having a distal end capable of extending toward the mass moving with a momentum directed toward the shock absorber; and isolation means (92) for isolating the shock from the environment.

In re claim 2, Tanaka teaches the shock absorber attached to a wall (figure 3).

IN re claim 3, Tanaka teaches a throughole where the shock is situated, the shock extends through the hole to an inner portion of the chamber.

In re claim 4, Tanaka provides a distal end of the shock which moves with the mass and the isolation means moves with the distal end and mass.

In re claims 5-7, 25, see element 92.

In re claim 15, Tanaka teaches a shock absorber with a liquid and a sheath (92) forming a seal to prevent liquid from entering a vacuum environment. (Col. 20 lines 43-50)

Application/Control Number: 10/661,311

Art Unit: 3683

In re claim 16, since the shock of Tanaka operates in a vacuum chamber and uses an oil, it is considered by the examiner to be vacuum oil.

In re claim 17, see elements 102 and 100 of Tanaka. Please note that Tanaka is silent to the internals of the cylinder, but it is inherent that there is a dynamic seal to prevent leakage of fluid.

In re claim 24, every shock absorber has both ends fixed as claimed.

IN re claims 42 and 48, see figure 1.

Claim Rejections - 35 USC § 103

- 6) The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7) Claims 2-3 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (JP 01032055) in view of Tanaka (2002/0075469).

In re claims 2-3, In Nakamura teaches the elements of the shock absorber, including bellows (11), but it is unclear how the device is attached in a vacuum chamber.

Tanaka teaches attaching a shock absorber to a vacuum chamber wall.

It would have been obvious to one of ordinary skill in the art to have placed the vibration damper of Nakamura on a wall with a through hole as taught by Tanaka merely to place the damper in an area where it would efficiently damp vibrations.

Application/Control Number: 10/661,311

Art Unit: 3683

The situation of the shock absorber of Nakamura as modified by Tanaka lacks some specific location features as claimed. It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided the location of the shock in the chamber as claimed since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 86 USPQ 70.

In re claim 20, Nakamura lacks the teaching of a spring urging movement of the piston rod relative to the housing.

Tanaka teaches a spring (100) urging movement of the piston rod relative to the housing.

It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided the shock of Nakamura with a spring taught by Tanaka to provide the device with a damping effect.

8) Claims 8, 13 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (JP 01032055) or Tanaka (2002/0075469) in view of Besonen et al (5307753).

In re claims 8 and 13, 26, both Nakamura and Tanaka lack the teaching of an extension limiting device.

Besonen et al teaches the use of an extension-limiting device.

It would have been obvious to provide the shock absorber of Nakamura or Tanaka with an extension limiter as taught by Besonen et al merely to prevent the device from extending too far and become damaged. Art Unit: 3683

9) Claims 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (JP 01032055) in view of Tanaka (2002/0075469) and further in view of Oishi (6332602).

Both Nakamura and Tanaka lack the teaching of attaching the bellows to a disk to which a bumper is mounted.

Oishi teaches a bellows (24) mounted to a disk (19) to which a bumper is mounted (62).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided the bellows of Nakamura et al as modified by Tanaka with a disk and bumper as taught by Oishi to provide a means to transmit the force to the shock absorber and to further absorb motion.

10) Claims 22-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (JP 01032055) in view of Tanaka (2002/0075469) and further in view of Oishi (6332602) and even further in view of Besonen et al (5307753).

In re claims 22, Nakamura, Tanaka and Oishi lack the teaching of an extension-limiting device.

Besonen et al teaches the use of an extension-limiting device.

It would have been obvious to provide the shock absorber of Nakamura as modified by Tanaka and Oishi with an extension limiter as taught by Besonen et al merely to prevent the device from extending too far and become damaged.

Application/Control Number: 10/661,311

Art Unit: 3683

In re claim 23, the situation of the extension limiter of Besonen lacks some specific location features as claimed. It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided the location of the shock in the chamber as claimed since it has been held that rearranging parts of an invention involves only routine skill in the art. In re Japikse, 86 USPQ 70.

Page 8

Conclusion

- 11) The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Tanaka, Juds et al, Miura et al, and Kuramoto et al all provide features with similar to the instant application.
- 12) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Devon C Kramer whose telephone number is 703-305-0839. The examiner can normally be reached on Mon-Fri 8-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Lavinder can be reached on 703-308-3421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

D-7004

Art Unit: 3683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DK